

LUXUSflor

content

5
6
7 - 9
10
11 - 13
14
15 - 17
18
19
20
21
22

technology combine natural materials the smart advantage of **LUXUS**flor

Benefit at Real Life



anti slippery

anti bacterial

waterproof

silent, noise reduction

zero formaldehyde

- anti scratch
- () fire retardant
- Stability & strength
- 👌 easy & quick installation
- eco friendly & sustainability

LUXUSflor | extremus

natural variety

- real wood sensation
- ultra high definition
- comfort
- performance

about extremus series of **LUXUS**flor

is engineered stone polymer core construction process consists of balancing layers of vinyl below and above the core. eSPC core is much more stable dimensionally in terms of performance and provides better underfoot feels. The best thing about the eSPC structure is that it keeps the rigid character of SPC and adds the soft touch of LVT. This is a premium eSPC that offers better embossing options, great sound absorption and a thicker product overall.

eSPC structure

Double Protective Layer
Transparent Wear Layer
HD Printing Decor Film
Silent LVT
SPC Core
LVT Balancing Layer
7 IXPE Cushion Underlayment



extremus

offers excellent foot feel, exceptional sound absorption and is ideal for areas that require quiet.





LE 80007

LE 82004





plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box



plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box

extremus

LE 80002



plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box



plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box



LE 85323

LE 80857

plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box



LE 85360

LUXUSflor | natural plus

(12+

- twelve patterns
- more natural variety
- real wood sensation
- ultra high definition HD
- performance 10000

about natural plus series of **LUXUS**flor

is Stone Polymer Core flooring contains a blend of natural limestone powder and polyvinyl chloride, with a core which produces a more stable composite material. Because it is made with completely waterproof materials, it is immune to expansion and contraction, even in areas with moisture. the wear and color films are placed on the SPC core after that extruding E.I.R finish bring the better real feeling for SPC flooring. Stable aspect, various beautiful colors, real wood surfaces, comfortable facilities.

SPC structure

1 Double Protective Layer 2 Transparent Wear Layer **3 HD Printing Decor Film** 4 SPC Core **5 IXPE Cushion Underlayment**

> **14** locking system PATENTS & TECHNOLOGIES



natural plus

Available in a range of natural colors and textures, 12 patterns at each model

natural plus





plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box



plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box LN 6044 LN 6035


plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box

plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box





LN 6068



plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box



plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box



plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box

LN 6080

LN 6074

LN 6077

LUXUSflor | comfort about comfort series of **LUXUS**flor is engineered WPC construction process consists of vinyl above the core. eWPC core is provides better underfoot feels. This is a premium eWPC that offers better embossing options, great sound absorption, soft touch natural variety and a thicker product overall. real wood sensation ultra high definition HD 65 comfort eWPC structure 1 Double Protective Layer 2 Transparent Wear Layer 3 HD Printing Decor Film 4 Silect LVT 5 WPC Core 6 IXPE Cushion Underlayment locking system PATENTED TECHNOLOGY






plank size: 10*100*600 mm | 20 pcs per box | 1.2 sq.m. per box


comfort . herringbone





LCH 30113

LCH 30110



LCH 30101

LCH 30107

plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sg.m. per box

plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box

LC 36011

plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box

plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box

plank size: 8*228*1800 mm | 4 pcs per box | 1.6416 sq.m. per box

LC 36023

LC 36008

LC 36014

LC 36020

LC 36011

comfort long plank





LUXUSflor | stone



- real stone sensation
- ultra high definition HD
- performance

about stone series of **LUXUS**flor

is Stone Polymer Core flooring contains a blend of natural limestone powder and polyvinyl chloride, with a core which produces a more stable composite material. Because it is made with completely waterproof materials, it is immune to expansion and contraction, even in areas with moisture. the wear and color films are placed on the SPC core after that extruding.

SPC structure

- 1 Double Protective Layer
- 2 Transparent Wear Layer
- **3 HD Printing Decor Film**
- 4 SPC Core
- **5 IXPE Cushion Underlayment**





stone



LS 24011

LS 24014



LS 24017



LS 24020



LS 24023



plank size: 8*450*900 mm | 4 pcs per box | 1.62 sq.m. per box

maintenance

NEVER use wax or oil based cleaning agents. All purpose cleaners are not recommended as they can dull

your floor's finish or leave a hazy residue. Use furniture protectors to reduce indentation and walk off mat at the entrance to reduce the amount of dirt brought into your home.

Do not use a mat that has a rubber or latex back as they may permanently stain your floor.

Do NOT adhere any tape to the face of the floor as it will damage the finish.

LUXUS flor recommends Bona brand cleaning products which are widely regarded as the best cleaning solution for urethane finish flooring.

Sweep, vacuum or dust mop regularly.

Use walk off mats at entrance doors and in front of kitchen sinks.

Install proper felt protectors under chair and furniture legs to prevent scratching.

Close curtains or blinds to limit direct sun exposure.




installation



Scan the QR code and view the online installation video for your floor.





LUXUS flor adheres to the concept of sustainable development, pursue high-quality through technology and innovation, meet safety and environmental certification requirements, and fulfills its responsibility to protect the earth.

23

